





CovILUG

LIP - 0

(Linux Install
Party - Zero)

- Demonstração de Linux
- Instalação de Caixa
Mágica 8.0


Data: 02/04/2003

Local: ESCM
sala 3

Contactos:

rui@covilug.org
www.covilug.org






Porqué LINUX?

Seguridad

- Evitar que todos los tipos de software de seguridad (firewalls, IDS, loggers, etc.) estén rotando
- Evitar el root
- Evitar el root







[illegible]









CoviLUG

*IX Encontro de Jovens Investigadores
Grupo de Trabalho de Informatica*

-INSTALACAO DE LINUX

-CONFIGURACAO DA REDE

DATA:

12 ABRIL 03

LOCAL:

ESCM



info:
info@covilug.org
www.covilug.org





















CoviLUG



*XXI Encontro de Jovens Cientistas
Grupo de Trabalho de Informática*

- Introdução ao Linux**
- Instalação e Configuração
de GNU/Linux**

*Data:
8 Setembro 03*

info:

**info@covilug.org
www.covilug.org**



O que é o Linux ?

- O Linux é um sistema operativo compatível com o standard POSIX.
- É um sistema operativo multiutilizador.
- É desenvolvido sobre GPL (GNU License), logo o seu código fonte é disponibilizado gratuitamente (Open Source).

XXI ENCONTRO
JUVENIL DE CIÊNCIA

3 A 12 DE
JULHO
REZOUROS
PORTO

8 9:48 AM


Mandrake Linux 9.1 - Installation

System installation

Package
disk
mirror
displaying
raid system

System configuration

Set password
Add a user
Install bootloader
Summary
Install updates
Reboot



8 11:25 AM



Mandrake Linux 9.1 - Installation

System installation

Language
License
Security
Partitioning
Install system

System configuration

Root password
Add a user
Install bootloader
Summary
Install updates
Exit install

A customizable environment

Perfectly adapt your computer to your needs thanks to the 11 available Mandrake Linux user interfaces which can be fully modified: KDE 3.1, GNOME 2.2, Window Maker, ...

Change your CD-Rom

Please insert the CD-Rom labeled "International CD (986)" in your drive and press Ok when done.
If you don't have it, press Cancel to load installer from the CD-Rom.

OK

Cancel

Time remaining

1 minute

Cancel

Details

8 1:25 PM



8 1:28 PM

```
Shell - Konsole
Session Edit View Bookmarks Settings Help

Starting nmap 3.27 ( www.insecure.org/nmap/ ) at 2003-09-08 15:30 CEST
Note: Host seems down. If it is really up, but blocking our ping probes, try -P0
Nmap run completed -- 1 IP address (0 hosts up) scanned in 20.345 seconds
root@tty1[knoppix]# ping 192.168.1.2
PING 192.168.1.2 (192.168.1.2): 56 data bytes
64 bytes from 192.168.1.2: icmp_seq=0 ttl=64 time=0.3 ms
64 bytes from 192.168.1.2: icmp_seq=1 ttl=64 time=3.2 ms
64 bytes from 192.168.1.2: icmp_seq=2 ttl=64 time=0.3 ms

--- 192.168.1.2 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.3/1.2/3.2 ms
root@tty1[knoppix]# nmap -sS -O 192.168.1.2

Starting nmap 3.27 ( www.insecure.org/nmap/ ) at 2003-09-08 15:30 CEST
Interesting ports on 192.168.1.2:
(The 1621 ports scanned but not shown below are in state: closed)
Port      State      Service
68/tcp    open       dhcpclient
6000/tcp  open       X11
Remote operating system guess: Linux Kernel 2.4.0 - 2.5.20
Uptime 0.009 days (since Mon Sep  8 15:17:19 2003)

Nmap run completed -- 1 IP address (1 host up) scanned in 5.106 seconds
root@tty1[knoppix]#
```











www.covilug.org